

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 1                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Trade name : All-Fleet Plus™ SAE 15W-40  
ENGINE OIL  
™ Trademark, Valvoline or its subsidiaries, regisred in various countries

### Relevant identified uses of the substance or mixture and uses advised against

|                                                                                                                                                                           |                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Details of the supplier of the safety data sheet</b><br>Valvoline LLC<br>3499 Blazer Parkway<br>Lexington, KY 40509<br>United States of America (USA)<br>1-800-TEAMVAL | <b>Emergency telephone number</b><br>1-800-VALVOLINE<br><br><b>Regulatory Information Number</b><br>1-800-TEAMVAL<br><br><b>Product Information</b><br>1-800-TEAMVAL |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Reproductive toxicity : Category 2

### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF exposed or concerned: Get medical advice/ attention.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 2                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Defatter

#### Hazardous components

| Chemical name                                                                 | CAS-No.     | Classification                                                      | Concentration (%) |
|-------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------|-------------------|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts | 113706-15-3 | Skin Irrit. 2; H315<br><br>Eye Dam. 1; H318                         | 1.08              |
| Dodecylphenol, mixed isomers (branched)                                       | 74499-35-7  | Skin Irrit. 2; H315<br><br>Eye Irrit. 2A; H319<br><br>Repr. 2; H361 | 0.1449            |

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 3                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

If symptoms persist, call a physician.

- |                                                             |                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Most important symptoms and effects, both acute and delayed | : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:<br>stomach or intestinal upset (nausea, vomiting, diarrhea)<br>irritation (nose, throat, airways)<br>Suspected of damaging fertility or the unborn child. |
| Notes to physician                                          | : No hazards which require special first aid measures.                                                                                                                                                                                                                                                  |

## SECTION 5. FIREFIGHTING MEASURES

- |                                               |                                                                                                                                                                          |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Water spray<br>Foam<br>Carbon dioxide (CO2)<br>Dry chemical |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                  |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                              |
| Hazardous combustion products                 | : carbon dioxide and carbon monoxide<br>Hydrocarbons<br>Nitrogen oxides (NOx)<br>Sulphur oxides<br>hydrogen sulfide<br>mercaptans<br>zinc oxide                          |
| Specific extinguishing methods                | :                                                                                                                                                                        |
|                                               | Product is compatible with standard fire-fighting agents.                                                                                                                |
| Further information                           | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.                                                      |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.                                                                                                         |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                       |                                      |
|-----------------------|--------------------------------------|
| Personal precautions, | : Use personal protective equipment. |
|-----------------------|--------------------------------------|

## SAFETY DATA SHEET

Revision Date: 10/03/2016

Print Date: 11/1/2016

SDS Number: R0171784

Version: 1.5

All-Fleet Plus™ SAE 15W-40 ENGINE OIL  
 ™ Trademark, Valvoline or its subsidiaries, regisred in various countries  
 VV385

protective equipment and  
 emergency procedures

Ensure adequate ventilation.  
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.  
 Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for  
 containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
 Keep in suitable, closed containers for disposal.

Other information

: Comply with all applicable federal, state, and local regulations.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Do not breathe vapours/dust.  
 Do not smoke.  
 Container hazardous when empty.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                                  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis    |
|---------------------------------------------|------------|----------------------------------|---------------------------------------------------|----------|
| HYDROTREATED LIGHT<br>PARAFFINIC DISTILLATE | 64742-55-8 | TWA                              | 5 mg/m3<br>Mist                                   | OSHA Z-1 |
|                                             |            | TWA                              | 5 mg/m3<br>Inhalable fraction                     | ACGIH    |
|                                             |            | TWA                              | 5 mg/m3<br>Mist                                   | OSHA P0  |

|                                                                                                                             |  |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|
|                                             |  | Page: 5                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    |  | Revision Date: 10/03/2016 |
|                                                                                                                             |  | Print Date: 11/1/2016     |
|                                                                                                                             |  | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 |  | Version: 1.5              |

|  |  |     |                        |           |
|--|--|-----|------------------------|-----------|
|  |  | TWA | 5 mg/m3<br>Mist        | NIOSH REL |
|  |  | ST  | 10 mg/m3<br>Mist       | NIOSH REL |
|  |  | PEL | 5 mg/m3<br>particulate | CAL PEL   |

#### Hazardous components without workplace control parameters

| Components | CAS-No. |
|------------|---------|
|------------|---------|

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

#### Personal protective equipment

**Respiratory protection** : A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

In the case of vapour formation use a respirator with an approved filter.

#### Hand protection

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

#### Eye protection

: Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

#### Skin and body protection

: Wear as appropriate:  
Impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear resistant gloves (consult your safety equipment supplier).

#### Hygiene measures

: Wash hands before breaks and at the end of workday.  
When using do not eat or drink.  
When using do not smoke.

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 6                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                                                         |
|----------------------------------------|---------------------------------------------------------|
| Physical state                         | : liquid                                                |
| Colour                                 | : amber                                                 |
| Odour                                  | : hydrocarbon-like                                      |
| Odour Threshold                        | : No data available                                     |
| pH                                     | : No data available                                     |
| Melting point/freezing point           | : No data available                                     |
| Boiling point/boiling range            | : No data available                                     |
| Flash point                            | : > 199 °C<br>Method: Cleveland open cup                |
| Evaporation rate                       | : No data available                                     |
| Flammability (solid, gas)              | : No data available                                     |
| Upper explosion limit                  | : 6 %(V)<br>Calculated Explosive Limit                  |
| Lower explosion limit                  | : 1 %(V)<br>Calculated Explosive Limit                  |
| Vapour pressure                        | : 0.0133333 hPa (21.11 °C)<br>Calculated Vapor Pressure |
| Relative vapour density                | : No data available                                     |
| Relative density                       | : 0.89 (15.6 °C)                                        |
| Density                                | : 0.880 g/cm3 (15.6 °C)                                 |
| Solubility(ies)                        |                                                         |
| Water solubility                       | : negligible                                            |
| Solubility in other solvents           | : No data available                                     |
| Partition coefficient: n-octanol/water | : No data available                                     |
| Thermal decomposition                  | : No data available                                     |
| Viscosity                              |                                                         |
| Viscosity, dynamic                     | : No data available                                     |

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 7                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

Viscosity, kinematic : ca. 112 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Incompatible materials : Acids  
Strong oxidizing agents  
water

Hazardous decomposition products : carbon dioxide and carbon monoxide  
hydrogen sulfide  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
zinc oxide  
mercaptans

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

### Acute toxicity

Not classified based on available information.

### Components:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Acute oral toxicity : LD50 (Rat): 2,900 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: Not classified as acutely toxic by dermal absorption under GHS.  
Remarks: Information given is based on data obtained from similar substances.

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 8                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

#### **Skin corrosion/irritation**

Not classified based on available information.

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

Dodecylphenol, mixed isomers (branched):

Result: Irritating to skin.

#### **Serious eye damage/eye irritation**

Not classified based on available information.

##### **Product:**

Remarks: Unlikely to cause eye irritation or injury.

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Result: Corrosive

Remarks: Information given is based on data obtained from similar substances.

Dodecylphenol, mixed isomers (branched):

Result: Irritating to eyes.

#### **Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Test Type: Buehler Test

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Genotoxicity in vitro : Remarks: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Test species: Mouse  
Cell type: peripheral blood cells  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

#### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Effects on fertility : Species: Rat

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 9                   |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

Application Route: Oral  
Dose: 100 mg/kg bw/day  
Symptoms: No effects on reproduction parameters

Effects on foetal development : Species: Rat  
Application Route: Oral  
Developmental Toxicity: No observed adverse effect level F1:  
100 mg/kg body weight

Dodecylphenol, mixed isomers (branched):  
Reproductive toxicity - : Some evidence of adverse effects on sexual function and  
Assessment fertility, and/or on development, based on animal experiments.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Product:

No aspiration toxicity classification

#### Further information

#### Product:

Remarks: No data available

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

##### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.

#### Components:

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 10                  |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l  
Exposure time: 96 h  
Remarks: Information given is based on data obtained from similar substances.

Dodecylphenol, mixed isomers (branched):  
Ecotoxicology Assessment  
Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### **Persistence and degradability**

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
Biodegradability : Result: Not readily biodegradable.  
Remarks: Information given is based on data obtained from similar substances.

No data available

#### **Bioaccumulative potential**

##### **Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
Bioaccumulation : Bioconcentration factor (BCF): 3  
Remarks: Information given is based on data obtained from similar substances.

No data available

#### **Mobility in soil**

##### **Components:**

No data available

#### **Other adverse effects**

No data available

##### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

##### **Components:**

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

General advice : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Dispose of in accordance with all applicable local, state and federal regulations.

|                                                                                                                             |  |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|
|                                             |  | Page: 11                  |
| <b>SAFETY DATA SHEET</b>                                                                                                    |  | Revision Date: 10/03/2016 |
|                                                                                                                             |  | Print Date: 11/1/2016     |
|                                                                                                                             |  | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 |  | Version: 1.5              |

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

#### SECTION 14. TRANSPORT INFORMATION

##### International transport regulations

##### REGULATION

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY. |
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|
|           |                      |               |                    |               |                              |

##### U.S. DOT - ROAD

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### CFR\_RAIL\_C

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### U.S. DOT - INLAND WATERWAYS

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### TDG\_ROAD\_C

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### TDG\_RAIL\_C

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### TDG\_INWT\_C

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### INTERNATIONAL MARITIME DANGEROUS GOODS

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

|                     |
|---------------------|
| Not dangerous goods |
|                     |

##### INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

|                     |
|---------------------|
| Not dangerous goods |
|                     |

|                                                                                                                             |  |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|
|                                             |  | Page: 12                  |
| <b>SAFETY DATA SHEET</b>                                                                                                    |  | Revision Date: 10/03/2016 |
|                                                                                                                             |  | Print Date: 11/1/2016     |
|                                                                                                                             |  | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 |  | Version: 1.5              |

**MX\_DG**

|                     |
|---------------------|
| Not dangerous goods |
|                     |

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

|                  |    |
|------------------|----|
| Marine pollutant | no |
|------------------|----|

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**
**EPCRA - Emergency Planning and Community Right-to-Know Act  
CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 313**

Phosphorodithioic acid, 113706-15-3 1.08 %  
mixed O,O-bis(sec-Bu and  
isooctyl) esters, zinc salts

**California Prop 65**

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory

**Inventories**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 13                  |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date: 10/03/2016

| NFPA:                                                                                                                                                          | HMIS III:                                                                                                                                                                                                                                                                                        |               |           |                     |          |                        |          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------|---------------------|----------|------------------------|----------|
| <p>Flammability</p>  <p>Health</p> <p>Instability</p> <p>Special hazard.</p> | <table border="1"> <tr> <td><b>HEALTH</b></td><td><b>0*</b></td></tr> <tr> <td><b>FLAMMABILITY</b></td><td><b>1</b></td></tr> <tr> <td><b>PHYSICAL HAZARD</b></td><td><b>0</b></td></tr> </table> <p>0 = not significant, 1 =Slight,<br/>2 = Moderate, 3 = High<br/>4 = Extreme, * = Chronic</p> | <b>HEALTH</b> | <b>0*</b> | <b>FLAMMABILITY</b> | <b>1</b> | <b>PHYSICAL HAZARD</b> | <b>0</b> |
| <b>HEALTH</b>                                                                                                                                                  | <b>0*</b>                                                                                                                                                                                                                                                                                        |               |           |                     |          |                        |          |
| <b>FLAMMABILITY</b>                                                                                                                                            | <b>1</b>                                                                                                                                                                                                                                                                                         |               |           |                     |          |                        |          |
| <b>PHYSICAL HAZARD</b>                                                                                                                                         | <b>0</b>                                                                                                                                                                                                                                                                                         |               |           |                     |          |                        |          |

### NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

### Full text of H-Statements

|      |                                                      |
|------|------------------------------------------------------|
| H315 | Causes skin irritation.                              |
| H318 | Causes serious eye damage.                           |
| H319 | Causes serious eye irritation.                       |
| H361 | Suspected of damaging fertility or the unborn child. |

### Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

|                                                                                                                             |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                                             | Page: 14                  |
| <b>SAFETY DATA SHEET</b>                                                                                                    | Revision Date: 10/03/2016 |
|                                                                                                                             | Print Date: 11/1/2016     |
|                                                                                                                             | SDS Number: R0171784      |
| All-Fleet Plus™ SAE 15W-40 ENGINE OIL<br>™ Trademark, Valvoline or its subsidiaries, regisred in various countries<br>VV385 | Version: 1.5              |

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
 BEI : Biological Exposure Index  
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
 FG : Food grade  
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
 H-statement : Hazard Statement  
 IATA : International Air Transport Association.  
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
 DOT : Department of Transportation  
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
 HMIRC : Hazardous Materials Information Review Commission  
 HMIS : Hazardous Materials Identification System  
 NFPA : National Fire Protection Association  
 NIOSH : National Institute for Occupational Safety and Health  
 OSHA : Occupational Safety and Health Administration  
 PMRA : Health Canada Pest Management Regulatory Agency  
 RTK : Right to Know  
 WHMIS : Workplace Hazardous Materials Information System